

# Safety Data Sheet More Flex Rapid S1 - White

according to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

Date of issue: 21/04/2023 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : More Flex Rapid S1 - White

Type of product : Powder

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use, Industrial use

#### 1.2.2. Uses advised against

None identified

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Kelmore Ltd The Dell Berry Way Chorley

PR7 6RA

e-mail address of person responsible for this SDS: info@kelmore.co.uk

#### 1.4. Emergency telephone number

Telephone number: +44 (0) 1257 830511 \*Office hours only

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to UK CLP/GHS

Skin corrosion/irritation – Category 2 H315
Serious eye damage/eye irritation – Category 1 H318
Specific target organ toxicity — Single exposure, Category 3 H335

Full text of H statements : see section 16

See section 11 for more detailed information on helth effects and symptoms.

#### 2.2. Label elements

#### Hazard Pictograms



Signal Word : Danger

Hazard Statements : H315 – Causes skin irritation.

: H318 – Causes serious eye damage. : H335 – May cause respiratory irritation.

**Precautionary statements** : P261 – Avoid breathing dust.

: P264 – Wash contaminated skin thoroughly after handling.

: P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

: P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

: P501 - Dispose of contents and container in accordance with national regulations.

Hazardous ingredients : Portland Cement

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Туре
Cement, portland	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	15 - 25	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1] [2]
Calcium Hydroxide	(CAS-No.) 1305-62-0 (EC-No.) 215-137-3	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1] [2]
Sand (Silicon dioxide)	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	30 - 40	Not classified	[2]
Calcium carbonate	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	15 - 30	Not classified	[2]

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit

#### **SECTION 4: First aid measures**

4.1. D	)escri	ntion	of first	aid	measures
			OI 111 31	. aia	III Casal C

First-aid measures general

First-aid measures after inhalation

- : Get medical advice/attention if you feel unwell.
- : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

If skin irritation occurs: Get medical advice/attention. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure.

First-aid measures after eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

First-aid measures after ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering, redness

Inhalation: Adverse symptoms may include the following: respiratory tract irritation, coughingSkin Contact: Adverse symptoms may include the following: pain, irritation, redness, blistering

Ingestion : Adverse symptoms may include the following: stomach pains

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

Specific treatments : No specific treatment

21/04/2023 (Version: 1.0) EN (English) 2/7

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media

: Use dry chemical powder

Unsuitable extinguishing media : Avoid high pressure media which could cause the formation of a potentially explosible dust-

air mixture.

#### 5.2. Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: May form explosible dust-air mixture if dispersed.

**Hazardous combustion products** 

: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Notify authorities if product enters sewers or public waters.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Protective equipment : Put on appropriate personal protective equipment

6.1.2. For emergency responders

**Emergency procedures** 

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel".

#### 6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Clean up immediately by sweeping or vacuum. Avoid dust generation.

Other information

: Dispose of materials or solid residues at an authorized site or via a licensed waste disposal

contractor.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

**Hygiene measures** 

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Wear personal protective equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Heat sources.

Incompatible materials

: Sources of ignition.

21/04/2023 (Version: 1.0) 3/7 EN (English)

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Product/ingredient name	Exposure limit values
Cement, portland, chemicals (65997-15-1)	EH40/2005 WELs (Fourth edition, 2020) United Kingdom (UK) TWA: 10 mg/m³ 8 hours. Form: inhalable dust TWA: 4 mg/m³ 8 hours. Form: respirable dust
Calcium Carbonate (1317-65-3)	EH40/2005 WELs (Fourth edition, 2020) United Kingdom (UK) TWA: 10 mg/m³ 8 hours. Form: inhalable dust TWA: 4 mg/m³ 8 hours. Form: respirable dust
Silicon dioxide (14808-60-7)	EH40/2005 WELs (Fourth edition, 2020) United Kingdom (UK) TWA: 0.1 mg/m³ 8 hours. Form: respirable dust
Calcium Hydroxide (1305-62-0)	EH40/2005 WELs (Fourth edition, 2020) United Kingdom (UK) TWA: 5 mg/m³ 8 hours. Form: inhalable dust TWA: 1 mg/m³ 8 hours. Form: respirable dust TWA: 4 mg/m³ 15 minutes. Form: respirable dust

#### 8.1.2 Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards.

#### 8.1.3 Air contaminants formed

No additional information available

#### **8.1.4 DNEL AND PNEC**

No additional information available

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Use only with adequate ventilation. Do not breathe dust. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Personal protective equipment:

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: disposable particulate mask(P2)(EN143)

#### Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products.

: Solid

#### **Body protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Off white Colour : Odourless Odour **Odour threshold** : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available **Melting point** : Not relevant Freezing point : Not relevant **Boiling point** : Not relevant Flash point : Not relevant **Auto-ignition temperature** : No data available

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

 Decomposition temperature
 : No data available

 Flammability (solid, gas)
 : No data available

 Vapour pressure
 : No data available

 Relative vapour density at 20 °C
 : No data available

 Relative density
 : No data available

 Density
 : 1.2 g/cm³

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Prevent dust accumulation.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral)

: Based on available data, the classification criteria are not met.

Acute toxicity (dermal)

: Based on available data, the classification criteria are not met.

Acute toxicity (inhalation)

: Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Causes skin irritationSerious eye damage/irritation: Causes serious eye damage

 Respiratory or skin sensitisation
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

 Reproductive toxicity
 : Not classified

STOT-single exposure : May cause respiratory irritation

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Endocrine disrupting properties : Based on available data, the classification criteria are not met.

Other information : Not available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified. (Based on available data, the classification criteria are not met)

Chronic aquatic toxicity : Not classified. (Based on available data, the classification criteria are not met)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6. Endocrine disrupting properties

No known significant effects or critical hazards.

#### 12.6. Other adverse effects

No known significant effects or critical hazards.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

: Yes

Hazardous waste Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA

ADR	IMDG	IATA	ADN	RID
14.1. UN number	•			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippir	ng name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
I4.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental ha	zards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informati	on available			

#### 14.6. Special precautions for user

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB)/REACH

Contains no REACH substances Annex XIV - List of substances subject to authorization

Contains no REACH substances with Annex XVII restrictions

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

21/04/2023 (Version: 1.0) EN (English) 6/7

## More Flex Rapid S1 - White

according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 and UK SI 2020/1567

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	

#### Abbreviations and acronyms:

ATE = Acute Toxicity Estimate

GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = GB CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

vPvB = Very Persistent and Very Bioaccumulative

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, the above named supplier does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.